### PUERTO RICO HEALTH INSURANCE ADMINISTRATION ADMINISTRACIÓN DE SEGUROS DE SALUD DE PUERTO RICO



HEALTH CARE IMPROVEMENT PROGRAM CODE BOOK

**IGOVERNMENT HEALTH PLAN PROGRAM** 

JANUARY 1, 2023 – SEPTEMBER 30, 2025

Code Book for Year 2 Updated

March 25,2024

ADMINISTRACION DE SEGUROS DE SALUD

23 - 000469



# Contents

	Scored Measures	4
	A. Chronic Conditions Initiative	4
	Diabetes	4
	Comprehensive Diabetes Care: Hemoglobin A1c (HbA1c) testing	4
	Hemoglobin A1c (HbA1c) Control for Patients with Diabetes (HBD)	4
	Blood Pressure Control (BPD)	4
	Eye Exam for Patients with Diabetes (EED)	4
	(KED) Kidney Health Evaluation for Patients With Diabetes	4
	PQI 01: Diabetes Short Term Complications Admission Rate	4
	Asthma	5
	PQI 15: Asthma in Younger Adults Admission Rate	5
	Asthma ED (Emergency room) Use/1000 ADMINISTRACION D SEGUROS DE SALUE	' <b>E</b> y5
	PHQ-9 for Asthma	5
	Severe Heart Failure 23 - 00046	6
	PQI 08: Heart Failure Admission Rate	6
	PHQ-9 for Severe Heart Failure	6
	Hypertension	7
	Hypertension ED (Emergency room) Use/1000	7
	Chronic Obstructive Pulmonary Disease (COPD)	8
	PQI 05: Chronic Obstructive Pulmonary Disease or Asthma in Older Adults Admission Rate	8
	Management of Select Mental Health Conditions (Chronic Depression/Mania/Bipolar Disorder)	8
	(FUH) Follow up after Hospitalization for Mental Illness (7 days)	8
	(FUH) Follow up after Hospitalization for Mental Illness (30 days)	8
	Management of Select Mental Health Conditions (Chronic Depression/Mania/Bipolar Disorder)	
	Admissions/1000	
	B. Healthy People Initiative	
	(BCS) Breast Cancer Screening	
	(CCS) Cervical Cancer Screening	
	(CBP) Controlling High Blood Pressure	
	(SSD) Diabetes Screening for People With Schizophrenia or Bipolar Disorder Who are Using Antipsy Medications	-
1	(FUH) Follow up after Hospitalization for Mental Illness (30 days)	10
/	(AAP) Adults' Access to Preventive/Ambulatory Health Services	11
	(OEV) Oral Evaluation, Dental Services	11

	(PPC) Prenatal And Postpartum Care	11
	(W30) Well-Child Visits First 30 months of Life	
	(WCV) Child and Adolescent Well-Care Visits	
C	Emergency Room High Utilizers Initiative	
·	Emergency Room High Utilizers Initiative	
	Efficigency room right dulizers initiative	12



ADMINISTRACION DE SEGUROS DE SALUD

23-000469



### I. Scored Measures

23 - 000464

#### A. Chronic Conditions Initiative

## Contrato Número

#### **Diabetes**

Comprehensive Diabetes Care: Hemoglobin A1c (HbA1c) testing		
The percentage of members	The percentage of members 18–75 years of age with diabetes (type 1 and type 2) who had Hemoglobin	
A1c (HbA1c) testing		
Technical specifications	Use HEDIS Version MY 2021 technical specifications	
	Hybrid methodology is not required for HCIP quarterly measures,	
	supplemental data may be used where appropriate.	

### Hemoglobin A1c (HbA1c) Control for Patients with Diabetes (HBD)

Blood Pressure Control (BPD)

Eye Exam for Patients with Diabetes (EED)

The percentage of members 18–75 years of age with diabetes (type 1 and type 2) who had each of the following:

- Hemoglobin A1c Control for Patients With Diabetes (HBD), poor control (>9.0%)
- Blood Pressure Control for Patients With Diabetes (BPD) (<140/90 mm Hg)</li>
- Eye Exam for Patients With Diabetes (EED)

Technical specifications	Use HEDIS Version 2022 technical specifications
	Hybrid methodology is not required for HCIP quarterly measures,
	supplemental data may be used where appropriate.

#### (KED) Kidney Health Evaluation for Patients With Diabetes

The percentage of members 18–85 years of age with diabetes (type 1 and type 2) who received a kidney health evaluation, defined by an estimated glomerular filtration rate (eGFR) and a urine albumin-creatinine ratio (uACR), during the measurement year.

Use HEDIS (KED) Kidney Health Evaluation for Patients with Diabetes
Version 2022 technical specifications.
Hybrid methodology is not required for HCIP quarterly measures,
supplemental data may be used where appropriate.

#### PQI 01: Diabetes Short Term Complications Admission Rate

Admissions for a principal diagnosis of diabetes with short-term complications (ketoacidosis, hyperosmolarity, or coma) per 100,000 target Diabetes Short Term Complications population, ages 18 years and older.

Technical specifications	Use AHRQ PQI 01: Diabetes Short Term Complication Admission Rate
- 7	Version 2022 technical specifications.

Formula: (# of admissions/distinct members) \* 100,000



### Asthma

PQI 15: Asthma in Younger Adults Admission Rate	
Admissions for a principal diagnosis of asthma per 100,000 target Asthma in Younger Adults population, ages 18–39 years.	
Technical specifications	Use AHRQ PQI 15: Asthma in Younger Adults Admission Rate Version 2022 technical specifications.
	Formula: (# of admissions/distinct members) * 100,000

Asthma ED (Emergency room) Use/1000	
Definition	For members 18 years of age and older, the number of observed emergency department (ED) visits for asthma during the measurement year per 1000 eligible population with asthma.  Formula: (# of ED visits/member months) x (1000 members) x (# of months)
Numerator  ADMINISTRACION DE SEGUROS DE SALUD  23 - 000464	The number ED visits for people 18 and older during the measurement year with a principal diagnosis (ICD-10-CM) of asthma.  Count each visit to an ED once, regardless of the intensity or duration of the visit.
Contrato Número	*ED visits for a principal diagnosis of selected conditions (see Health Care Improvement Program ASES Diagnosis Codes).
Denominator	All eligible population with Asthma.
Measurement Period	One year ending at the Incurred Service Time Period - End as defined in Section II of the Attachment 19 Health Care Improvement Program Manual.
Continuous enrollment	N/A
Allowable gap	N/A
Description	Use the following reference: ED Visits from HEDIS Ambulatory Care (Use HEDIS Version 2022 technical specifications). For Asthma, use ICD10 codes from the Health Care Improvement Program ASES Diagnosis Codes).
Exclusions	N/A

PHQ-9 for Asthma		
Definition	The PHQ-9 is a multipurpose instrument for screening, diagnosing, monitoring, and measuring the severity of depression.	

Numerator	Patients in the denominator who were screened with a PHQ-9 test during the measurement period.
Denominator	All eligible population over 12 years of age with the condition.
Measurement Period	One year ending at the Incurred Service Time Period - End as
	defined in Section II of the Attachment 19 Health Care
	Improvement Program Manual.
Continuous enrollment	N/A
Allowable gap	N/A
Description	CPT: 96127 Brief emotional/behavioral assessment
	G8431: Screening for depression is documented as being positive
	and a follow-up plan is documented Short Description: Pos clin
ADMINISTRACION DE	depres scrn f/u doc
SEGUROS DE SALUD	G8510: Screening for depression is documented as negative, a
	follow-up plan is not required; Short description: Scr dep neg, no
23-000469	plan reqd
	Other: Supplementary Data (test performed by case managers
Contrato Número	among others)
Exclusions	N/A

## Severe Heart Failure

PQI 08: Heart Failure Admiss	ion Rate
Admissions with a principal of 18 years and older.	liagnosis of heart failure per 100,000 target Heart Failure population, ages
Technical specifications	Use AHRQ <i>PQI 08: Heart Failure Admission Rate</i> Version 2022 technical specifications.  Formula: (# of admissions/distinct members) * 100,000
	Formula: (# of admissions/distinct members) * 100,000

PHQ-9 for Severe Heart Failure	
Definition	The PHQ-9 is a multipurpose instrument for screening, diagnosing, monitoring, and measuring the severity of depression.
winerator	Patients in the denominator who were screened with a PHQ-9 test during the measurement period.
Denominator	All eligible population over 12 years of age with severe heart failure.
Measurement Period	One year ending at the Incurred Service Time Period – End as defined in Section II of the Attachment 19 Health Care Improvement Program Manual.
Continuous enrollment	N/A
Allowable gap	N/A

Description	CPT: 96127 Brief emotional/behavioral assessment G8431: Screening for depression is documented as being positive
	and a follow-up plan is documented Short Description: Pos clin
	7epress scrn f/u doc
	G8510: Screening for depression is documented as negative, a
	follow-up plan is not required; Short description: Scr dep neg, no
	plan reqd
	Other: Supplementary Data (test performed by case managers
	among others)
Exclusions	N/A

Hypertension

lypertension	
Hypertension ED (Emergency r	room) Use/1000
Definition	For members 18 years of age and older, the number of observed emergency department (ED) visits for hypertension during the measurement year per 1000 eligible population with hypertension.  Formula: (# of ED visits/member months) x (1000 members) x (# of months)
Numerator ADMINISTRACION DE SEGUROS DE SALUD	The number ED visits for people 18 and older during the measurement year with a principal diagnosis (ICD-10-CM) of hypertension.  Count each visit to an ED once, regardless of the intensity or
23-000466	duration of the visit.  *ED visits for a principal diagnosis of Hypertension as identified
Contrato Número	within the Health Care Improvement Program ASES Diagnosis Codes.
Denominator	All eligible population with the condition.
Measurement Period	One year ending at the month as defined in Section II of the Attachment 19 Health Care Improvement Program Manual.
Continuous enrollment	N/A
Allowable gap	N/A
Description	Use the following reference: ED Visits from HEDIS Ambulatory Care (Use HEDIS Version 2022 technical specifications). For Hypertension, use ICD-10 codes as identified within the Health Care Improvement Program ASES Diagnosis Codes.
Exclusions	N/A



Chronic Obstructive Pulmonary Disease (COPD)

onary Disease or Asthma in Older Adults Admission Rate
osis of chronic obstructive pulmonary disease (COPD) or asthma per adults 100,000 population, ages 40 years and older.
Use AHRQ <i>Chronic Obstructive Pulmonary Disease (COPD) or Asthma in Older Adults Admission Rate</i> Version 2022 technical specifications  Formula: (# of admissions/distinct members) * 100,000

Select Mental Health Conditions (Chronic Depression/Mania/Bipolar Disorder)

#### (FUH) Follow up after Hospitalization for Mental Illness (7 days)

The percentage of discharges for members 6 years of age and older who were hospitalized for treatment of Chronic Depression/Mania/Bipolar Disorder as identified within the Health Care Improvement Program ASES Diagnosis Codes and who had a follow-up visit with a mental health practitioner.

• The percentage of discharges for which the member received follow-up within 7 days of discharge.

3	
Technical specifications	Use HEDIS Follow-Up After Hospitalization for Mental Illness Version
	2022 technical specifications.

#### (FUH) Follow up after Hospitalization for Mental Illness (30 days)

The percentage of discharges for members 6 years of age and older who were hospitalized for treatment of Chronic Depression/Mania/Bipolar Disorder as identified within the Health Care Improvement Program ASES Diagnosis Codes and who had a follow-up visit with a mental health practitioner.

 The percentage of discharges for which the member received follow-up within 30 days of discharge.

Technical specifications	Use HEDIS Follow-Up After Hospitalization for Mental Illness Version
	2022 technical specifications.

#### Select Mental Health Conditions (Chronic Depression/Mania/Bipolar Disorder) Admissions/1000

Definition

For members 18 years of age and older, the number of admissions for Chronic Depression/Mania/Bipolar Disorder as identified within the Health Care Improvement Program ASES Diagnosis Codes during the measurement year per 1000 eligible population with a principal diagnosis (ICD-10-CM) of chronic depression/Mania/Bipolar Disorder.

ADMINISTRACION DE SEGUROS DE SALUD

Formula: (# of admissions/member months) x (1000 members) x (# of months)

Numerator 23 - 000466 The number admissions for people 18 and older during the measurement year with a principal diagnosis (ICD-10-CM) of Chronic Depression/Mania/Bipolar Disorder as identified within the Health Care

	Improvement Program ASES Diagnosis Codes.
Denominator	All eligible population with the condition.
Measurement Period	One year ending at the Incurred Service Time Period - End as defined in Section II of the Attachment 19 Health Care Improvement Program Manual.
Continuous enrollment	N/A
Allowable gap	N/A
Description	Use the following reference:  For admissions, use Appendix A- Rev Codes from the Health Care Improvement Program ASES Diagnosis Codes  For Management of Select Mental Health Conditions: Chronic Depression/Mania/Bipolar Disorder, use ICD-10 codes from the Health Care Improvement Program ASES Diagnosis Codes
Exclusions	N/A

No

ADMINISTRACION DE SEGUROS DE SALUD

23 - 000465

23 - 000469

#### В. **Healthy People Initiative**

(BCS) Breast Cancer Screening	Contrato Número
The percentage of women 5	0–74 years of age who had a mammogram to screen for breast cancer.
Technical specifications Use HEDIS (BCS) Breast Cancer Screening Version 2022 techni	
	specifications.

#### (CCS) Cervical Cancer Screening

The percentage of women 21–64 years of age who were screened for cervical cancer using either of the following criteria:

- Women 21–64 years of age who had cervical cytology performed within the last 3 years.
- Women 30–64 years of age who had cervical high-risk human papillomavirus (hrHPV) testing performed within the last 5 years
- Women 30–64 years of age who had cervical cytology/high-risk human papillomavirus (hrHPV) cotesting within the last 5 years

331331118	
Technical specifications	Use HEDIS (CCS) Cervical Cancer Screening Version 2022 technical
	specifications.

#### (CBP) Controlling High Blood Pressure

The percentage of members 18–	85 years of age who had a diagnosis of hypertension (HTN) and whose
BP was adequately controlled (<140/90 mm Hg) during the measurement year.	
Technical specifications	Use HEDIS (CBP) Controlling High Blood Pressure Version 2022
1	technical specifications.
Hybrid methodology is not required for HCIP quarterly measures, the I	
	may use supplemental data where appropriate.

### (SSD) Diabetes Screening for People With Schizophrenia or Bipolar Disorder Who are Using Antipsychotic Medications

The percentage of members 18–64 years of age with schizophrenia, schizoaffective disorder or bipolar disorder, who were dispensed an antipsychotic medication and had a diabetes screening test during

the measurement year.	
Technical specifications	Use HEDIS (SSD) Diabetes Screening for People With Schizophrenia or Bipolar Disorder Who Are Using Antipsychotic Medications Version 2022 technical specifications.

#### (FUH) Follow up after Hospitalization for Mental Illness (30 days)

The percentage of discharges for members 6 years of age and older who were hospitalized for treatment of selected mental illness diagnoses or intentional self-harm diagnoses and who had a follow-up visit with a mental health practitioner.

The percentage of discharges for which the member received follow-up within 30 days of discharge

discriarge.	
Technical specifications	Use HEDIS (FUH) Follow up after Hospitalization for Mental Illness
	Version 2022 technical specifications.

(AAP) Adults' Access to Preve	entive/Ambulatory Health Services
The percentage of members	20 years and older who had an ambulatory or preventive care visit.
Technical specifications	
	Services Version 2022 technical specifications.

(OEV) Oral Evaluation, Denta	Il Services
Percentage of enrolled child	ren under age 21 who received a comprehensive or periodic oral
evaluation within the reporti	ing year.
Technical specifications	Use DQA Measure Technical Specifications: Administrative Claims-
	Based Measures.

### (PPC) Prenatal And Postpartum Care

Assesses access to prenatal and postpartum care:

- Timeliness of Prenatal Care. The percentage of deliveries in which women had a prenatal care visit in the first trimester, on or before the enrollment start date or within 42 days of enrollment in the organization.
- Postpartum Care. The percentage of deliveries in which women had a postpartum visit on or between 7 and 84 days after delivery.

between 7 and 64 days after denvery.	
Technical specifications	Use HEDIS (PPC) Prenatal And Postpartum Care Version 2022
	technical specifications.

#### (W30) Well-Child Visits First 30 months of Life

The percentage of members who had the following number of well-child visits with a PCP during the last 15 months. The following rates are reported:

- Well-Child Visits in the First 15 Months. Children who turned 15 months old during the measurement year: Six or more well-child visits.
- Well-Child Visits for Age 15 Months—30 Months. Children who turned 30 months old during the measurement year: Two or more well-child visits.

measurement year.	Wo of more wen cina visits.
Technical specifications	Use HEDIS (W30) Well-Child Visits in the First 30 Months of Life
	Version 2022 technical specifications:
	0-15 months
	• 15-30 months

#### (WCV) Child and Adolescent Well-Care Visits

The percentage of members 3–21 years of age who had at least one comprehensive well-care visit with a PCP or an OB/GYN practitioner during the measurement year.

Technical specifications

Use HEDIS (WCV) Child and Adolescent Well-Care Visits Version 2022
technical specifications.

ADMINISTRACION DE SEGUROS DE SALUD

23-000466

C. Emergency Room High Utilizers Initiative

Emergency Room High Utilizers Initiative	
Overall emergency room utilization rate x 1,000 on identified population with 7 or more visits to the emergency room.	
Total Number of ER Visits incurred by members with 7 or more ER Visits.	
Total members with 7 or more ER Visits.	
N/A	
N/A	
CPT: 99281-99285, 99288 Place of service code: 23	
Use HEDIS Version 2022 technical specifications: The measure does not include mental health or chemical dependency services. Exclude visits for mental health or chemical dependency. Any of the following meet criteria:  • A principal diagnosis of mental health or chemical dependency (Mental and Behavioral Disorders Value Set).  Psychiatry (Psychiatry Value Set).  • Electroconvulsive therapy (Electroconvulsive Therapy Value Set).	

PPL.

ADMINISTRACION DE SEGUROS DE SALUD

23-000469