



May 8, 2023

## NORMATIVE LETTER 23-0508

**A:** COORDINATED HEALTH MANAGEMENT ORGANIZATIONS (MCOs) CONTRACTED FOR PLAN VITAL

**RE:** QUALITY METRICS MY2022: Report 26: Adult and Child Core Measures and Report 24: Audited HEDIS Report

.....

The Puerto Rico Health Insurance Administration (ASES) is providing clarification on requirements for Report 26: Adult and Child Core Measures and Report 24: Audited HEDIS Report for MY2022 which are to be reported by July 31, 2023.

- ASES requires the annual submission of Report 26, ACCM, which includes CMS mandated measures from different measure stewards, including HEDIS. Report 24 includes additional HEDIS measures that ASES requires. ASES has provided the following reporting options for the plans:
  - Submission of Report 26 to include all required ACCMs and submission of Report 24 to include only the measures outlined in the report guide that are not part of ACCMs.
  - Submission of Report 26 to include all required ACCMs and submission of Report 24 to include all HEDIS measures, including those that are part of ACCMs and those that are not included in ACCMs.
- For all ACCM measures, following the CMS Technical Specifications and Resource Manual is required. This includes required reporting via Age Bands, Table 1 and Table 2 provide an outline from the Technical Specifications to assist with this expectation.
- There are three Agency for Healthcare Research and Quality (AHRQ) Prevention Quality Indicators (PQIs) that require an Age Band breakout. This breakout is required by ASES, and differs from the instruction given for the same measures as captured within the HCIP quarterly reports, where only one age band (18+) is required.
  - **MEASURE PQI01-AD: PQI 01: DIABETES SHORT-TERM COMPLICATIONS ADMISSION RATE**
  - **MEASURE PQI08-AD: PQI 08: HEART FAILURE ADMISSION RATE**

These measures apply to beneficiaries ages 18 and older. For the purpose of Adult Core Set reporting, states should calculate and report this measure for two age groups (as applicable): ages 18–64 and ages 65+.

– **MEASURE PQI05-AD: PQI 05: CHRONIC OBSTRUCTIVE PULMONARY DISEASE (COPD) OR ASTHMA IN OLDER ADULTS ADMISSION RATE**

This measure applies to beneficiaries ages 40 and older. For the purpose of Adult Core Set reporting, states should calculate and report this measure for two age groups (as applicable): ages 40–64 and ages 65+.


- ASES requires hybrid methodology to be used for the following measures. This has been a consistent requirement for reporting and is based on the specific measures where Medical Record Review is warranted.
  - HbA1c Control for Patients with Diabetes (HBD)
  - Blood Pressure Control for Patients with Diabetes (BPD)
  - Eye Exam Performed for Patients with Diabetes (EED)
  - Prenatal and Postpartum Care (PPC)
  - Controlling High Blood Pressure (CBP)
- NCQA has made the following changes for MY2022 HEDIS measures. Please note the following updates that have been made that impact Plan Vital reporting requirements:
  - Mental Health Utilization (MPT) has been changed to Diagnosed Mental Health Disorders (DMH) starting with MY2022 and moved from the Utilization domain to the Effectiveness of Care domain.
  - Identification of Alcohol and Other Drug Services (IAD) has been changed to Diagnosed Substance Use Disorders (DSU) starting with MY2022 and moved from the Utilization domain to the Effectiveness of Care domain.
  - Comprehensive Diabetes Care (CDC) is separated into standalone measures:
    - Hemoglobin A1c Control for Patients with Diabetes (HBD) (HbA1c Control < 8 and Poor Control HbA1c)
    - Eye Exam Performed for Patients with Diabetes (EED)
    - Blood Pressure for Patients with Diabetes (BPD)
    - Kidney Health Evaluation for Patients with Diabetes (KED)
  - HBD is to be reported by race and ethnicity stratification.
  - The process measure Comprehensive Diabetes HbA1c testing was retired as the goal is to move towards more outcome measures.
  - NCQA is retiring the Frequency of Selected Procedures (FSP) in MY2023.

The updated required measures for Report 24 include the following:

- **Effectiveness of Care:**
  - HbA1c Control for Patients with Diabetes (HBD)
  - Blood Pressure Control for Patients with Diabetes (BPD)
  - Eye Exam Performed for Patients with Diabetes (EED)
  - Kidney Health Evaluation for Patients with Diabetes (KED)
  - Appropriate Treatment for Upper Respiratory Infection (URI)
  - Diagnosed Mental Health Disorders (DMH)
  - Diagnosed Substance Use Disorders (DSU).
  
- **Utilization:**
  - Ambulatory Care (AMB)

Contractors are required to contract with a certified HEDIS auditor to validate the processes consistent with Federal requirements for all HEDIS measures as outlined within the Model Contract.

Sincerely,



Milagros A. Soto Mejía, MHSA  
Director  
Clinical Affairs Office

Cc:

*Edna Y Marin Ramos, MA*  
*Executive Director*  
*Puerto Rico Health Insurance Administration (PRHIA)*

*Roxanna K. Rosario Serrano, BHE, MS*  
*Deputy Executive Director*  
*Puerto Rico Health Insurance Administration (PRHIA)*



**Table 1: Adult Core Measures — 2023 & 2024**

Measure Domain	Measure Code	Measure Name	Age Range (Years)	Allowable Data Type
Care of Acute and Chronic Conditions	AAB-AD	Avoidance of Antibiotic Treatment for Acute Bronchitis/Bronchiolitis	18-64	Administrative
Care of Acute and Chronic Conditions	AAB-AD	Avoidance of Antibiotic Treatment for Acute Bronchitis/Bronchiolitis	65+	Administrative
Behavioral Health Care	AMM-AD	Antidepressant Medication Management - <i>Acute Phase</i>	18–64	Administrative or EHR
Behavioral Health Care	AMM-AD	Antidepressant Medication Management - <i>Acute Phase</i>	65+	Administrative or EHR
Behavioral Health Care	AMM-AD	Antidepressant Medication Management - <i>Continuation Phase</i>	18–64	Administrative or EHR
Behavioral Health Care	AMM-AD	Antidepressant Medication Management - <i>Continuation Phase</i>	65+	Administrative
Care of Acute and Chronic Conditions	AMR-AD	Asthma Medication Ratio	19–50	Administrative
Care of Acute and Chronic Conditions	AMR-AD	Asthma Medication Ratio	51–64	Administrative
Care of Acute and Chronic Conditions	AMR-AD	Asthma Medication Ratio	Total (19-64)	Administrative
Primary Care Access and Preventive Care	BCS-AD	Breast Cancer Screening	50–64	Administrative or EHR
Primary Care Access and Preventive Care	BCS-AD	Breast Cancer Screening	65-74	Administrative or EHR
Care of Acute and Chronic Conditions	CBP-AD	Controlling High Blood Pressure	18–64	Administrative and Hybrid are both required by ASES

**Table 1: Adult Core Measures — 2023 & 2024**

Measure Domain	Measure Code	Measure Name	Age Range (Years)	Allowable Data Type
Care of Acute and Chronic Conditions	CBP-AD	Controlling High Blood Pressure	65-85	Administrative and Hybrid are both required by ASES
Maternal and Perinatal Health	CCP-AD	Contraceptive Care – Postpartum Women <i>Most or moderately effective contraception – 3 days</i>	21–44	Administrative
Maternal and Perinatal Health	CCP-AD	Contraceptive Care – Postpartum Women <i>Most or moderately effective contraception – 90 days</i>	21–44	Administrative
Maternal and Perinatal Health	CCP-AD	Contraceptive Care – Postpartum Women <i>LARC – 3 days</i>	21–44	Administrative
Maternal and Perinatal Health	CCP-AD	Contraceptive Care – Postpartum Women <i>LARC – 90 days</i>	21–44	Administrative
Primary Care Access and Preventive Care	CCS-AD	Cervical Cancer Screening	24–64	Administrative, Hybrid, or EHR
Maternal and Perinatal Health	CCW-AD	Contraceptive Care All Women <i>Most or moderately effective contraception</i>	21–44	Administrative
Maternal and Perinatal Health	CCW-AD	Contraceptive Care All Women <i>LARC</i>	21–44	Administrative
Primary Care Access and Preventive Care	CDF-AD	Screening for Depression and Follow-Up Plan	18–64	Administrative or EHR
Primary Care Access and Preventive Care	CDF-AD	Screening for Depression and Follow-Up Plan	65+	Administrative or EHR
Primary Care Access and Preventive Care	CHL-AD	Chlamydia Screening in Women	21–24	Administrative or EHR
Behavioral Health Care	COB-AD	Concurrent Use of Opioids and Benzodiazepines	18–64	Administrative
Behavioral Health Care	COB-AD	Concurrent Use of Opioids and Benzodiazepines	65+	Administrative

**Table 1: Adult Core Measures — 2023 & 2024**

Measure Domain	Measure Code	Measure Name	Age Range (Years)	Allowable Data Type
Primary Care Access and Preventive Care	COL-AD	Colorectal Cancer Screening	46-49	Administrative or EHR
Primary Care Access and Preventive Care	COL-AD	Colorectal Cancer Screening	50-64	Administrative or EHR
Primary Care Access and Preventive Care	COL-AD	Colorectal Cancer Screening	65-75	Administrative or EHR
Experience of Care	CPA-AD	Consumer Assessment of Healthcare Providers and Systems: (CAHPS®) Health Plan Survey 5.1H, Adult Version (Medicaid)	18+	Survey by 3rd party vendor (Report 23)
Behavioral Health Care	FUA-AD	Follow-Up After Emergency Department Visit for Alcohol and Other Drug Abuse or Dependence – 7 days	18–64	Administrative
Behavioral Health Care	FUA-AD	Follow-Up After Emergency Department Visit for Alcohol and Other Drug Abuse or Dependence – 7 days	65+	Administrative
Behavioral Health Care	FUA-AD	Follow-Up After Emergency Department Visit for Alcohol and Other Drug Abuse or Dependence – 30 days	18–64	Administrative
Behavioral Health Care	FUA-AD	Follow-Up After Emergency Department Visit for Alcohol and Other Drug Abuse or Dependence – 30 days	65+	Administrative
Behavioral Health Care	FUH-AD	Follow-Up After Hospitalization for Mental Illness 7-day follow-up for ED visit: Ages 18 and older	18–64	Administrative
Behavioral Health Care	FUH-AD	Follow-Up After Hospitalization for Mental Illness 7-day follow-up for ED visit: Ages 18 and older	65+	Administrative
Behavioral Health Care	FUH-AD	Follow-Up After Hospitalization for Mental Illness 30-day follow-up for ED visit: Ages 18 and older	18–64	Administrative
Behavioral Health Care	FUH-AD	Follow-Up After Hospitalization for Mental Illness 30-day follow-up for ED visit: Ages 18 and older	65+	Administrative

**Table 1: Adult Core Measures — 2023 & 2024**

Measure Domain	Measure Code	Measure Name	Age Range (Years)	Allowable Data Type
Behavioral Health Care	FUM-AD	Follow-Up After Emergency Department Visit for Mental Illness – <i>7-day follow-up for ED</i>	18–64	Administrative
Behavioral Health Care	FUM-AD	Follow-Up After Emergency Department Visit for Mental Illness – <i>7-day follow-up for ED</i>	65+	Administrative
Behavioral Health Care	FUM-AD	Follow-Up After Emergency Department Visit for Mental Illness – <i>30-day follow-up for ED visit</i>	18–64	Administrative
Behavioral Health Care	FUM-AD	Follow-Up After Emergency Department Visit for Mental Illness – <i>30-day follow-up for ED visit</i>	65+	Administrative
Primary Care Access and Preventive Care	FVA-AD	Flu Vaccinations for Adults	18–64	CAHPS Survey
Care of Acute and Chronic Conditions	HBD-AD	Hemoglobin A1c Control for Patients With Diabetes	18–64	Administrative and Hybrid are both required by ASES
Care of Acute and Chronic Conditions	HBD-AD	Hemoglobin A1c Control for Patients With Diabetes	65–75	Administrative and Hybrid are both required by ASES
Behavioral Health Care	HPCMI-AD	Diabetes Care for People with Serious Mental Illness – <i>Hemoglobin A1c (HbA1c) Poor Control (&gt;9.0%)</i>	18–64	Administrative
Behavioral Health Care	HPCMI-AD	Diabetes Care for People with Serious Mental Illness – <i>Hemoglobin A1c (HbA1c) Poor Control (&gt;9.0%)</i>	65–75	Administrative
Care of Acute and Chronic Conditions	HVL-AD	HIV Viral Load Suppression	18–64	Administrative or EHR
Care of Acute and Chronic Conditions	HVL-AD	HIV Viral Load Suppression	65+	Administrative or EHR
Behavioral Health Care	IET-AD	Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment – <i>Initiation – Alcohol</i>	18–64	Administrative



**Table 1: Adult Core Measures — 2023 & 2024**

Measure Domain	Measure Code	Measure Name	Age Range (Years)	Allowable Data Type
Behavioral Health Care	IET-AD	Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment – <i>Initiation – Alcohol</i>	65+	Administrative
Behavioral Health Care	IET-AD	Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment – <i>Initiation – Opioid Abuse or Dependence</i>	18–64	Administrative
Behavioral Health Care	IET-AD	Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment – <i>Initiation – Opioid Abuse or Dependence</i>	65+	Administrative
Behavioral Health Care	IET-AD	Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment – <i>Initiation – Other Drugs</i>	18–64	Administrative
Behavioral Health Care	IET-AD	Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment – <i>Initiation Total – Other Drugs</i>	65+	Administrative
Behavioral Health Care	IET-AD	Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment – <i>Initiation – TOTAL</i>	18–64	Administrative
Behavioral Health Care	IET-AD	Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment – <i>Initiation – TOTAL</i>	65+	Administrative
Behavioral Health Care	IET-AD	Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment – <i>Engagement – Alcohol</i>	18–64	Administrative
Behavioral Health Care	IET-AD	Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment – <i>Engagement – Alcohol</i>	65+	Administrative
Behavioral Health Care	IET-AD	Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment – <i>Engagement – Opioid Abuse or Dependence</i>	18–64	Administrative



**Table 1: Adult Core Measures — 2023 & 2024**

Measure Domain	Measure Code	Measure Name	Age Range (Years)	Allowable Data Type
Behavioral Health Care	IET-AD	Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment – <i>Engagement – Opioid Abuse or Dependence</i>	65+	Administrative
Behavioral Health Care	IET-AD	Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment – <i>Engagement – Other Drugs</i>	18–64	Administrative
Behavioral Health Care	IET-AD	Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment – <i>Engagement Total – Other Drugs</i>	65+	Administrative
Behavioral Health Care	IET-AD	Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment – <i>Engagement – TOTAL</i>	18–64	Administrative
Behavioral Health Care	IET-AD	Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment – <i>Engagement – TOTAL</i>	65+	Administrative
Behavioral Health Care	MSC-AD	Medical Assistance with Smoking and Tobacco Use Cessation – <i>Advising Smokers and Tobacco Users to Quit</i>	18–64	CAHPS Survey
Behavioral Health Care	MSC-AD	Medical Assistance with Smoking and Tobacco Use Cessation – <i>Advising Smokers and Tobacco Users to Quit</i>	65+	CAHPS Survey
Behavioral Health Care	MSC-AD	Medical Assistance with Smoking and Tobacco Use Cessation – <i>Discussing Cessation Medications</i>	18–64	CAHPS Survey
Behavioral Health Care	MSC-AD	Medical Assistance with Smoking and Tobacco Use Cessation – <i>Discussing Cessation Medications</i>	65+	CAHPS Survey
Behavioral Health Care	MSC-AD	Medical Assistance with Smoking and Tobacco Use Cessation – <i>Discussing Cessation Strategies</i>	18–64	CAHPS Survey

**Table 1: Adult Core Measures — 2023 & 2024**

Measure Domain	Measure Code	Measure Name	Age Range (Years)	Allowable Data Type
Behavioral Health Care	MSC-AD	Medical Assistance with Smoking and Tobacco Use Cessation – <i>Discussing Cessation Strategies</i>	65+	CAHPS Survey
Behavioral Health Care	OHD-AD	Use of Opioids at High Dosage in Persons Without Cancer	18–64	Administrative
Behavioral Health Care	OHD-AD	Use of Opioids at High Dosage in Persons Without Cancer	65+	Administrative
Behavioral Health Care	OUD-AD	Use of Pharmacotherapy for Opioid Use Disorder – <i>Total</i>	18–64	Administrative
Behavioral Health Care	OUD-AD	Use of Pharmacotherapy for Opioid Use Disorder – <i>Buprenorphine</i>	18–64	Administrative
Behavioral Health Care	OUD-AD	Use of Pharmacotherapy for Opioid Use Disorder – <i>Oral Naltrexone</i>	18–64	Administrative
Behavioral Health Care	OUD-AD	Use of Pharmacotherapy for Opioid Use Disorder – <i>Long-Acting, Injectable Naltrexone</i>	18–64	Administrative
Behavioral Health Care	OUD-AD	Use of Pharmacotherapy for Opioid Use Disorder – <i>Methadone</i>	18–64	Administrative
Care of Acute and Chronic Conditions	PCR-AD	Plan All-Cause Readmissions	18-64	Administrative
Maternal and Perinatal Health	PPC-AD	Prenatal and Postpartum Care: Postpartum Care	No age requirements	Administrative and Hybrid are both required by ASES
Care of Acute and Chronic Conditions	PQI01-AD	Diabetes Short-Term Complications Admission Rate	18–64	Administrative, Hybrid, or EHR
Care of Acute and Chronic Conditions	PQI01-AD	Diabetes Short-Term Complications Admission Rate	65+	Administrative, Hybrid, or EHR
Care of Acute and Chronic Conditions	PQI05-AD	Chronic Obstructive Pulmonary Disease (COPD) or Asthma in Older Adults Admission Rate	40–64	Administrative, Hybrid, or EHR

P.O. Box 195661, San Juan, P.R. 00919-5661

**Table 1: Adult Core Measures — 2023 & 2024**

Measure Domain	Measure Code	Measure Name	Age Range (Years)	Allowable Data Type
Care of Acute and Chronic Conditions	PQI05-AD	Chronic Obstructive Pulmonary Disease (COPD) or Asthma in Older Adults Admission Rate	65+	Administrative, Hybrid, or EHR
Care of Acute and Chronic Conditions	PQI08-AD	Heart Failure Admission Rate	18–64	Administrative
Care of Acute and Chronic Conditions	PQI08-AD	Heart Failure Admission Rate	65+	Administrative
Care of Acute and Chronic Conditions	PQI15-AD	Asthma in Younger Adults Admission Rate	18–39	Administrative
Behavioral Health Care	SAA-AD	Adherence to Antipsychotic Medications for Individuals With Schizophrenia	18+	Administrative or Hybrid
Behavioral Health Care	SSD-AD	Diabetes Screening for People With Schizophrenia or Bipolar Disorder Who Are Using Antipsychotic Medications – <i>Total</i>	18–64	Administrative or Hybrid

**Table 2: Child Core Measures — 2023 & 2024**

Measure Domain	Measure Code	Measure Name	Age Range (Years)	Allowable Data Type
Care of Acute and Chronic Conditions	AAB-CH	Avoidance of Antibiotic Treatment for Acute Bronchitis/Bronchiolitis	3 Months–17 Years	Administrative
Behavioral Health Care	ADD-CH	Follow-Up Care for Children Prescribed ADHD Medication – <i>Initiation</i>	6–12	Administrative or EHR
Behavioral Health Care	ADD-CH	Follow-Up Care for Children Prescribed ADHD Medication – <i>Continuation and Management</i>	6–12	Administrative or EHR
Care of Acute and Chronic Conditions	AMB-CH	Ambulatory Care: Emergency Department (ED) Visits	<1	Administrative
Care of Acute and Chronic Conditions	AMB-CH	Ambulatory Care: Emergency Department (ED) Visits	1-9	Administrative
Care of Acute and Chronic Conditions	AMB-CH	Ambulatory Care: Emergency Department (ED) Visits	10-19	Administrative
Care of Acute and Chronic Conditions	AMB-CH	Ambulatory Care: Emergency Department (ED) Visits	Total: 0–19	Administrative
Care of Acute and Chronic Conditions	AMR-CH	Asthma Medication Ratio	5–11	Administrative
Care of Acute and Chronic Conditions	AMR-CH	Asthma Medication Ratio	12–18	Administrative
Care of Acute and Chronic Conditions	AMR-CH	Asthma Medication Ratio	Total: 5–18	Administrative
Behavioral Health Care	APM-CH	Metabolic Monitoring for Children and Adolescents on Antipsychotics <i>Blood Glucose</i>	1–11	Administrative
Behavioral Health Care	APM-CH	Metabolic Monitoring for Children and Adolescents on Antipsychotics <i>Blood Glucose</i>	12–17	Administrative

**Table 2: Child Core Measures — 2023 & 2024**

Measure Domain	Measure Code	Measure Name	Age Range (Years)	Allowable Data Type
Behavioral Health Care	APM-CH	Metabolic Monitoring for Children and Adolescents on Antipsychotics <i>Blood Glucose</i>	Total: 1–17	Administrative
Behavioral Health Care	APM-CH	Metabolic Monitoring for Children and Adolescents on Antipsychotics <i>Cholesterol</i>	1–11	Administrative
Behavioral Health Care	APM-CH	Metabolic Monitoring for Children and Adolescents on Antipsychotics <i>Cholesterol</i>	12–17	Administrative
Behavioral Health Care	APM-CH	Metabolic Monitoring for Children and Adolescents on Antipsychotics <i>Cholesterol (Total)</i>	1–17	Administrative
Behavioral Health Care	APM-CH	Metabolic Monitoring for Children and Adolescents on Antipsychotics <i>Blood Glucose and Cholesterol</i>	1–11	Administrative
Behavioral Health Care	APM-CH	Metabolic Monitoring for Children and Adolescents on Antipsychotics <i>Blood Glucose and Cholesterol</i>	12–17	Administrative
Behavioral Health Care	APM-CH	Metabolic Monitoring for Children and Adolescents on Antipsychotics <i>Blood Glucose and Cholesterol (Total)</i>	1–17	Administrative
Behavioral Health Care	APP-CH	Use of First-Line Psychosocial Care for Children and Adolescents on Antipsychotics	1–11	Administrative
Behavioral Health Care	APP-CH	Use of First-Line Psychosocial Care for Children and Adolescents on Antipsychotics	12–17	Administrative
Behavioral Health Care	APP-CH	Use of First-Line Psychosocial Care for Children and Adolescents on Antipsychotics	Total: 1–17	Administrative
Maternal and Perinatal Health	CCP-CH	Contraceptive Care – Postpartum Women <i>Most or Moderately Effective Contraceptive Method 3 days</i>	15–20	Administrative

**Table 2: Child Core Measures — 2023 & 2024**

Measure Domain	Measure Code	Measure Name	Age Range (Years)	Allowable Data Type
Maternal and Perinatal Health	CCP-CH	Contraceptive Care – Postpartum Women <i>Most or Moderately Effective Contraceptive Method 60 days</i>	15–20	Administrative
Maternal and Perinatal Health	CCP-CH	Contraceptive Care – Postpartum Women <i>Long-Acting Reversible Contraception Method 3 days</i>	15–20	Administrative
Maternal and Perinatal Health	CCP-CH	Contraceptive Care – Postpartum Women <i>Long-Acting Reversible Contraception Method 60 days</i>	15–20	Administrative
Maternal and Perinatal Health	CCW-CH	Contraceptive Care – All Women <i>Most or Moderately Effective Contraceptive Method</i>	15–20	Administrative
Maternal and Perinatal Health	CCW-CH	Contraceptive Care – All Women Ages <i>Long-Acting Reversible Contraception Method</i>	15–20	Administrative
Primary Care Access and Preventive Care	CDF-CH	Screening for Depression and Follow-Up Plan	12–17	Administrative or EHR
Primary Care Access and Preventive Care	CHL-CH	Chlamydia Screening in Women	16–20	Administrative or EHR
Primary Care Access and Preventive Care	CIS-CH	Childhood Immunization Status Overall	0–2	Immunization not required from MCOs, ASES will coordinate with DOH, if the MCO has data, please submit
Primary Care Access and Preventive Care	CIS-CH	Childhood Immunization Status <i>Combo 10</i>	0–2	Immunization not required from MCOs, ASES will coordinate with DOH, if the MCO has data, please submit

**Table 2: Child Core Measures — 2023 & 2024**

Measure Domain	Measure Code	Measure Name	Age Range (Years)	Allowable Data Type
Primary Care Access and Preventive Care	CIS-CH	Childhood Immunization Status <i>Combo 3</i>	0–2	Immunization not required from MCOs, ASES will coordinate with DOH, if the MCO has data, please submit
Primary Care Access and Preventive Care	CIS-CH	Childhood Immunization Status <i>Combo 7</i>	0–2	Immunization not required from MCOs, ASES will coordinate with DOH, if the MCO has data, please submit
Primary Care Access and Preventive Care	CIS-CH	Childhood Immunization Status <i>DTP</i>	0–2	Immunization not required from MCOs, ASES will coordinate with DOH, if the MCO has data, please submit
Primary Care Access and Preventive Care	CIS-CH	Childhood Immunization Status <i>Hep A</i>	0–2	Immunization not required from MCOs, ASES will coordinate with DOH, if the MCO has data, please submit
Primary Care Access and Preventive Care	CIS-CH	Childhood Immunization Status <i>Hep B</i>	0–2	Immunization not required from MCOs, ASES will coordinate with DOH, if the MCO has data, please submit
Primary Care Access and Preventive Care	CIS-CH	Childhood Immunization Status <i>HiB</i>	0–2	Immunization not required from MCOs, ASES will coordinate with DOH, if the

P.O. Box 195661, San Juan, P.R. 00919-5661



**Table 2: Child Core Measures — 2023 & 2024**

Measure Domain	Measure Code	Measure Name	Age Range (Years)	Allowable Data Type
				MCO has data, please submit
Primary Care Access and Preventive Care	CIS-CH	Childhood Immunization Status <i>Influenza</i>	0–2	Immunization not required from MCOs, ASES will coordinate with DOH, if the MCO has data, please submit
Primary Care Access and Preventive Care	CIS-CH	Childhood Immunization Status <i>MMR</i>	0–2	Immunization not required from MCOs, ASES will coordinate with DOH, if the MCO has data, please submit
Primary Care Access and Preventive Care	CIS-CH	Childhood Immunization Status <i>IPV</i>	0–2	Immunization not required from MCOs, ASES will coordinate with DOH, if the MCO has data, please submit
Primary Care Access and Preventive Care	CIS-CH	Childhood Immunization Status <i>Pneumococcal Conjugate</i>	0–2	Immunization not required from MCOs, ASES will coordinate with DOH, if the MCO has data, please submit
Primary Care Access and Preventive Care	CIS-CH	Childhood Immunization Status <i>Rotavirus</i>	0–2	Immunization not required from MCOs, ASES will coordinate with DOH, if the MCO has data, please submit

**Table 2: Child Core Measures — 2023 & 2024**

Measure Domain	Measure Code	Measure Name	Age Range (Years)	Allowable Data Type
Primary Care Access and Preventive Care	CIS-CH	Childhood Immunization Status <i>VZV</i>	0–2	Immunization not required from MCOs, ASES will coordinate with DOH, if the MCO has data, please submit
Experience of Care	CPC-CH	CAHPS Health Plan Survey 5.1H Child version including Medicaid and children with Chronic Conditions Supplemental items	17 and younger	Survey
Primary Care Access and Preventive Care	DEV-CH	Developmental Screening in the First Three Years of Life – <i>12 Months</i>	12 Months	Administrative or Hybrid
Primary Care Access and Preventive Care	DEV-CH	Developmental Screening in the First Three Years of Life – <i>24 Months</i>	24 Months	Administrative or Hybrid
Primary Care Access and Preventive Care	DEV-CH	Developmental Screening in the First Three Years of Life – <i>36 Months</i>	36 Months	Administrative or Hybrid
Primary Care Access and Preventive Care	DEV-CH	Developmental Screening in the First Three Years of Life – <i>Total</i>	Total: 1–3	Administrative or Hybrid
Behavioral Health Care	FUA-CH	Follow-Up After Emergency Department Visit for Substance Use – 7 day	13–17	Administrative
Behavioral Health Care	FUA-CH	Follow-Up After Emergency Department Visit for Substance Use – 30 day	13–17	Administrative
Behavioral Health Care	FUH-CH	Follow-Up After Hospitalization for Mental Illness – <i>7-day</i>	6–17	Administrative
Behavioral Health Care	FUH-CH	Follow-Up After Hospitalization for Mental Illness – <i>30-day</i>	6–17	Administrative

**Table 2: Child Core Measures — 2023 & 2024**

Measure Domain	Measure Code	Measure Name	Age Range (Years)	Allowable Data Type
Behavioral Health Care	FUM-CH	Follow-Up After Emergency Department Visit for Mental Illness – 7-day	6–17	Administrative
Behavioral Health Care	FUM-CH	Follow-Up After Emergency Department Visit for Mental Illness – 30-day	6–17	Administrative
Primary Care Access and Preventive Care	IMA-CH	Immunizations for Adolescents – HPV	1–13	Immunization not required from MCOs, ASES will coordinate with DOH, if the MCO has data, please submit
Primary Care Access and Preventive Care	IMA-CH	Immunizations for Adolescents – Combo 1	1–13	Immunization not required from MCOs, ASES will coordinate with DOH, if the MCO has data, please submit
Primary Care Access and Preventive Care	IMA-CH	Immunizations for Adolescents – Combo 2	1–13	Immunization not required from MCOs, ASES will coordinate with DOH, if the MCO has data, please submit
Maternal and Perinatal Health	LBW-CH	Live Births Weighing Less Than 2,500 Grams	All	CMS will calculate this measure for states using state natality data obtained through the Centers for Disease Control and Prevention Wide-ranging Online Data for Epidemiologic

P.O. Box 195661, San Juan, P.R. 00919-5661

**Table 2: Child Core Measures — 2023 & 2024**

Measure Domain	Measure Code	Measure Name	Age Range (Years)	Allowable Data Type
				Research (CDC WONDER). States are not asked to report data for this measure for FFY 2023 Core Set reporting
Maternal and Perinatal Health	LRCO-CH	Low-Risk Cesarean Delivery	All	CMS will calculate this measure for states using state natality data obtained through the Centers for Disease Control and Prevention Wide-ranging Online Data for Epidemiologic Research (CDC WONDER). States are not asked to report data for this measure for FFY 2023 Core Set reporting.
Primary Care Access and Preventive Care	LSC-CH	Lead Screening in Children	0–2	Administrative or Hybrid
Dental and Oral Health Services	OEV-CH	Oral Evaluation, Dental Services	3-5	Administrative
Dental and Oral Health Services	OEV-CH	Oral Evaluation, Dental Services	6-7	Administrative

**Table 2: Child Core Measures — 2023 & 2024**

Measure Domain	Measure Code	Measure Name	Age Range (Years)	Allowable Data Type
Dental and Oral Health Services	OEV-CH	Oral Evaluation, Dental Services	8-9	Administrative
Dental and Oral Health Services	OEV-CH	Oral Evaluation, Dental Services	10-11	Administrative
Dental and Oral Health Services	OEV-CH	Oral Evaluation, Dental Services	12-14	Administrative
Dental and Oral Health Services	OEV-CH	Oral Evaluation, Dental Services	15-18	Administrative
Dental and Oral Health Services	OEV-CH	Oral Evaluation, Dental Services	19-20	Administrative
Dental and Oral Health Services	OEV-CH	Oral Evaluation, Dental Services	Total: <1–21	Administrative
Maternal and Perinatal Health	PPC-CH	Prenatal and Postpartum Care: Timeliness of Prenatal Care	No age limits	Administrative and Hybrid are both required by ASES
Dental and Oral Health Services	SFM-CH	Sealant Receipt on Permanent First Molars – One Sealant	Children who turn age 10 in the measurement year.	Administrative
Dental and Oral Health Services	SFM-CH	Sealant Receipt on Permanent First Molars – Four Sealant	Children who turn age 10 in the measurement year.	Administrative
Dental and Oral Health Services	TFL-CH	Topical Fluoride for Children	1-2	Administrative

**Table 2: Child Core Measures — 2023 & 2024**

Measure Domain	Measure Code	Measure Name	Age Range (Years)	Allowable Data Type
Dental and Oral Health Services	TFL-CH	Topical Fluoride for Children	3-5	Administrative
Dental and Oral Health Services	TFL-CH	Topical Fluoride for Children	6-7	Administrative
Dental and Oral Health Services	TFL-CH	Topical Fluoride for Children	8-9	Administrative
Dental and Oral Health Services	TFL-CH	Topical Fluoride for Children	10-11	Administrative
Dental and Oral Health Services	TFL-CH	Topical Fluoride for Children	12-14	Administrative
Dental and Oral Health Services	TFL-CH	Topical Fluoride for Children	15-18	Administrative
Dental and Oral Health Services	TFL-CH	Topical Fluoride for Children	19-20	Administrative
Dental and Oral Health Services	TFL-CH	Topical Fluoride for Children	Total: 1-20	Administrative
Dental and Oral Health Services	TFL-CH	Topical Fluoride for Children	1–20	Administrative
Primary Care Access and Preventive Care	W30-CH	Well-Child Visits in the First 30 Months of Life	Frist 15 months	Administrative
Primary Care Access and Preventive Care	W30-CH	Well-Child Visits in the First 30 Months of Life	15-30 months	Administrative

**Table 2: Child Core Measures — 2023 & 2024**

Measure Domain	Measure Code	Measure Name	Age Range (Years)	Allowable Data Type
Primary Care Access and Preventive Care	WCC-CH	Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents – <i>BMI Percentile</i>	3–11	Administrative, Hybrid, or EHR
Primary Care Access and Preventive Care	WCC-CH	Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents – <i>BMI Percentile</i>	12–17	Administrative, Hybrid, or EHR
Primary Care Access and Preventive Care	WCC-CH	Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents – <i>Counseling for Nutrition</i>	3–11	Administrative, Hybrid, or EHR
Primary Care Access and Preventive Care	WCC-CH	Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents – <i>Counseling for Nutrition</i>	12–17	Administrative, Hybrid, or EHR
Primary Care Access and Preventive Care	WCC-CH	Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents <i>Counseling for Physical Activity</i>	3–11	Administrative, Hybrid, or EHR
Primary Care Access and Preventive Care	WCC-CH	Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents <i>Counseling for Physical Activity</i>	12–17	Administrative, Hybrid, or EHR
Primary Care Access and Preventive Care	WCV-CH	Child and Adolescent Well-Care Visits – <i>Total</i>	All	Administrative
Primary Care Access and Preventive Care	WCV-CH	Child and Adolescent Well-Care Visits	3–11	Administrative
Primary Care Access and Preventive Care	WCV-CH	Child and Adolescent Well-Care Visits	12–17	Administrative
Primary Care Access and Preventive Care	WCV-CH	Child and Adolescent Well-Care Visits	18–21	Administrative